

# LINKSYS®

A Division of Cisco Systems, Inc.

## Expand your wireless coverage with MIMO!



## RangePlus Wireless Network USB Adapter

Model: **WUSB100**

### PRODUCT DATA

High-speed, long-range, wireless networking for your desktop or notebook computer

MIMO smart antenna technology captures faint signals for extended range and reduced dead spots

Much faster than Wireless-G when connected to RangePlus or Wireless-N, but also works great with Wireless-G and -B devices

Advanced wireless security: Wi-Fi Protected Access™ (WPA2) with up to 256-bit encryption

## PRODUCT DATA

### Features

- Much faster than Wireless-G, but can also connect to Wireless-N, -G and -B networks
- Complies with Wireless-B (802.11b) and Wireless-G (802.11g) standards
- Supports WEP (64- and 128-bit), WPA and WPA2 (Personal and Enterprise) encryption security
- Compatible with Microsoft Windows 2000 (SP4), XP (SP2 or later) and Vista

# RangePlus Wireless Network USB Adapter

The RangePlus Wireless Network USB Adapter is the simple way to add or upgrade wireless connectivity in your desktop or notebook computer. Just plug it into your computer's USB port and enjoy incredible high-speed wireless network access while retaining true mobility.

The RangePlus Wireless Notebook Adapter uses the very latest wireless networking technology to achieve extended range. Unlike ordinary wireless networking technologies that are confused by signal reflections, MIMO actually uses these reflections to increase the range and reduce "dead spots" in the wireless coverage area. The robust signal travels farther, maintaining wireless connections much farther than standard Wireless-G. And with MIMO, the farther away you are, the more speed advantage you get. It works great with standard Wireless-G and -B equipment, but when both ends of the wireless link use RangePlus technology, the throughput can be increased even more by using twice as much radio band.

Once you're connected, you can keep in touch with your e-mail, access the Internet, and share files and other resources such as printers and network storage with other computers on the network, wherever you wander. At home, you can surf the web or use instant messaging to chat with friends while sitting out on the patio. You'll also be able to connect with any of the growing number of public hotspots springing up in coffee shops, airport lounges, hotels and convention centers. Your wireless connection is protected by industrial-strength WPA2 encryption. The included Setup Wizard will walk you through configuring the adapter to your network's settings, step by step.

Get connected with fast throughput, reduced dead spots, and increased wireless range with the RangePlus Wireless Network USB Adapter from Linksys.

## PRODUCT DATA

# RangePlus Wireless Network USB Adapter

### Specifications

Model	WUSB100
Standards	IEEE 802.11b, IEEE 802.11g
LEDs	Power/Link/Act
# of Antennas	2 Internal Antennas
Connector Type	USB
Modulations	802.11b: CCK, QPSK, BPSK 802.11g: 64-QAM, 16-QAM 802.11n draft: BPSK, QPSK, 16-QAM, 64-QAM
RF Power (EIRP) in dBm	802.11b: 17.6 dBm 802.11g: 17.2 dBm 802.11n: 17.1 dBm
Antenna Gain in dBi	2 dBi
Power Consumption	TX: 590mA, HT20, MCS7; 610mA, HT40, MCS7 at 3.3V RX: 480mA, HT20, MCS15; 570mA HT40, MCS15 at 3.3V
Security Features	WEP, Wi-Fi Protected Access™ 2 (WPA2)
Security Key Bits	Up to 256-Bit Encryption

### Environmental

Dimensions	3.86" x 0.39" x 1.1" (98 x 10 x 28 mm)
Weight	0.6 oz (17 g)
Power	3.3V
Certification	FCC, UL, CB, CE
Operating Temp.	32 to 104°F (0 to 40°C)
Storage Temp.	14 to 158°F (-10 to 70°C)
Operating Humidity	10 to 85%, Noncondensing
Storage Humidity	5 to 90%, Noncondensing

### Package Contents

- RangePlus Wireless USB Adapter
- USB Stand
- Setup CD-ROM
- User Guide on CD-ROM
- Quick Installation Guide

### Minimum Requirements

- 600 MHz or Faster PC
- 256 MB of RAM Memory
- CD-ROM Drive
- Available USB Slot
- Up-to-Date Windows 2000, XP or Vista

Linksys  
A Division of Cisco Systems, Inc.  
121 Theory  
Irvine, CA 92617 USA

E-mail: [sales@linksys.com](mailto:sales@linksys.com)

Web: [www.linksys.com](http://www.linksys.com)

Linksys products are available in more than 50 countries, supported by 12 Linksys Regional Offices throughout the world. For a complete list of local Linksys Sales and Technical Support contacts, visit our worldwide website at [www.linksys.com](http://www.linksys.com)

The maximum performance for wireless is derived from IEEE Standard 802.11 specifications. Actual performance can vary, including lower wireless network capacity, data throughput rate, range and coverage. Performance depends on many factors, conditions and variables, including distance from the access point, volume of network traffic, building materials and construction, operating system used, mix of wireless products used, interference and other adverse conditions.

Check the product package and contents for specific features supported. Specifications are subject to change without notice.



Linksys is a registered trademark or trademark of Cisco Systems, Inc. and/or its affiliates in the U.S. and certain other countries. Copyright © 2007 Cisco Systems, Inc. All rights reserved. Other brands and product names are trademarks or registered trademarks of their respective holders.